

# Flowmeters

## Smartflow™ Kits/Flowmeters

Finally, someone thought about what moulders need to know and how best to do it. Naturally, being a moulder, the designer knew that leaks and broken tubes are common problems of other water regulators.

This Smartflow, flowmeter offers a practical and inexpensive solution to a far too common problem.

- Portable
- Compact
- Rugged
- 115°C Rating
- 100 PSI (690 kPa)
- 1 to 8 GPM – or .5 to 2.5 GPM (3.79 to 30.3 LPM or 1.89 to 18.9 LPM)
- ¼", 3/8", or ½" Brass Quick Connect Couplings on Quickcheck models
- Solid brass end caps
- High temperature polymer body
- Can be mounted in any position

MATERIAL:	
ENDCAPS	BRASS
BODY	POLYSULFONE
VANE	NYLON
SPRING	S/S
O-RINGS	EDP
CAP SCREWS	S/S

### Smartflow Flowmeter



**1-8 GPM  
(3.79 to 30.3 LPM)**

ITEM NUMBER	SIZE
F2BA300	¼" BSP
F3BA300	¾" BSP

**.5-2.5 GPM  
(1.89 to 9.46 LPM)**

ITEM NUMBER	SIZE
F2BA100	¼" BSP
F3BA100	¾" BSP

### Smartflow Flow, Temp & Pressure



**1-8 GPM  
(3.79 to 30.3 LPM)**

ITEM NUMBER	SIZE
F2BC300	¼" BSP
F3BC300	¾" BSP

**.5-2.5 GPM  
(1.89 to 9.46 LPM)**

ITEM NUMBER	SIZE
F2BC100	¼" BSP
F3BC100	¾" BSP

### Flow & Temp.



**1-8 GPM  
(3.79 to 30.3 LPM)**

ITEM NUMBER	SIZE
F2BB300	¼" BSP
F3BB300	¾" BSP

**.5-2.5 GPM  
(1.89 to 9.46 LPM)**

ITEM NUMBER	SIZE
F2BB100	¼" BSP
F3BB100	¾" BSP

### Flow & Pressure



**1-8 GPM  
(3.79 to 30.3 LPM)**

ITEM NUMBER	SIZE
F2BF300	¼" BSP
F3BF300	¾" BSP

**.5-2.5 GPM  
(1.89 to 9.46 LPM)**

ITEM NUMBER	SIZE
F2BF100	¼" BSP
F3BF100	¾" BSP